

Ropex RES-222 - Resistron RES-440 Upgrade In-stock USA
 Force Global, Inc. | e-mail info@forceglobal.com
 ph: 414 507-9378 | fx: 262-628-4451

RESISTRON

TEMPERATURE CONTROLLER
 FOR HEATSEAL BANDS
 TO SEAL PLASTIC FILMS

RES-222



Features

- ★ Easy mounting into the control panel
- ★ Signal "Set-point reached" ($T = T_s$)
- ★ Temperature indicator in °C
- ★ Comprehensive monitoring with "Alarm Signal"
- ★ Easy Installation and Operation
- ★ Perfect for Large Variety of Application

TABLE OF CONTENTS

A	GENERAL SAFETY INSTRUCTIONS	2	C	GENERAL INSTALLATION INSTRUCTIONS	3
B	PROPER COMPONENT SELECTION	2	D	PREVENTIVE MAINTENANCE	3
B.1	Heatseal Band	2	E	STANDARDS	3
B.2	Transformer	2	F	WARRANTY	3
B.3	Current Transformer	2			
1	APPLICATION and SHORT DESCRIPTION	4	7	HEATSEAL ELEMENTS	12
2	PRINCIPLES of OPERATION	5	7.1	Change of Heatseal Elements	12
3	FUNCTIONS	6	8	OPERATING MODES	13
3.1	Measuring or Regulating Mode	6	8.1	Constant Heat	13
3.2	Zero Calibration	7	8.2	Impulse Sealing	13
3.3	Start	7	8.2.1	Timing at Impulse Sealing	14
3.4	Signal "Set-point reached" ($T=T_s$)	8	8.3	Using signal "Set-point reached"	15
3.5	Alarm	8	9	PHYSICAL DIMENSIONS	16
3.6	Reset	8	10	TECHNICAL SPECIFICATIONS	17
4	WIRING DIAGRAM	8	10.1	How to Order	18
5	POWER SUPPLY	9	11	INSTALLATION INSTRUCTIONS	19
5.1	Line Filter	10			
6	OPERATING INSTRUCTIONS	11			